





#### Unique characteristics



Backflow protection unit type **EB**



## MORA MMIX tronic basin mixer, battery operation

MORA MMIX tronic is a new sensor controlled basin mixer. Sensor controlled mixers started out in public facilities, but are increasingly finding their way into modern homes. A sensor detects when you put your hands underneath the mixer and automatically activates the water flow until you remove your hands. Hygienic, energy-efficient and childishly simple.

**Article number:** 720080.60 **RSK:** 8430646 **Flow 3 bar:** 5.0 l/m  
**Description:** Polished brass PVD, battery operation (included battery)

- With temperature knob, battery operation (included battery)
- Soft closing solenoid valve
- Safe against vandalism, complete in metal
- Eco (energy and water saving constant flow aerator)
- Flush Timeout - safety shut-off to prevent flooding
- 30 sec. rinse time via sensor
- Can be turned off for 60 sec. (eg for cleaning)
- Low power consumption - Long life
- Equipped with system for thermal disinfection against legionella
- IP class sensor, IP67
- Approved non-return valves, EN-Standard EN1717
- Environmental friendly material, Lead free, Nickel Free

#### Installation:

- Automatic sensor calibration
- After adjusting to the desired temperature, knob can be replaced with a lid
- All models can be adapted for either battery 6V or mains operation 12V AC/DC
- For mains operation requires installation of the adapter kit art.no. S600147
- Soft Pex<sup>®</sup> hoses with non return valves and filters (stainless steel braided)
- Hole diameter Ø33,5-37 mm

#### Settings:

- Adjustable max temperature
- Programmable function for hygiene flushing
- Adjustable flush time


## PRODUCT DESCRIPTION

MORA MMIX tronic basin mixer,  
battery operation

MORA MMIX tronic is a new sensor controlled basin mixer. Sensor controlled mixers started out in public facilities, but are increasingly finding their way into modern homes. A sensor detects when you put your hands underneath the mixer and automatically activates the water flow until you remove your hands. Hygienic, energy-efficient and childishly simple.

Article number: 720080.60

RSK: 8430646



## Sparepartlist

| NO. | ART NO.     | RSK     | DESCRIPTION                           |
|-----|-------------|---------|---------------------------------------|
| 1   | S600278     | 8398041 | Electronic unit, Stand.               |
| 1   | S600329     | 8398042 | Electronic unit, centrally controlled |
| 2   | S600131     | 8483190 | AC adapter                            |
| 3   | S600135     | 8483191 | Battery                               |
| 4   | S600277     | 8398040 | Solenoid valve                        |
| 5   | 729457.AE   | 8553563 | Cover plug                            |
| 6   | 729456.AE   | 8553562 | Lever, chrome                         |
| 6   | 729456.11AE | 8483168 | Lever, black PVD                      |
| 6   | 729456.14AE | 8483180 | Lever, polished copper PVD            |
| 6   | 729456.16AE | 8483181 | Lever, champagne PVD                  |

| NO. | ART NO.     | RSK     | DESCRIPTION                                  |
|-----|-------------|---------|----------------------------------------------|
| 6   | 729456.60AE | 8483182 | Lever, polished brass PVD                    |
| 7   | 729458.AE   | 8553564 | Fastening                                    |
| 8   | 131415.AE   | 8281512 | Housing M24 utv., 15 mm, chrome              |
| 8   | 131415.11AE | 8281550 | Housing M24 utv., 15 mm, black PVD           |
| 8   | 131415.14AE | 8281662 | Housing M24 ext., 15 mm, polished copper PVD |
| 8   | 131415.16AE | 8281663 | Housing M24 ext., 15 mm, champagne PVD       |
| 8   | 131415.60AE | 8281664 | Housing M24 ext., 15 mm, polished brass PVD  |
| 9   | 729485.AE   | 8184336 | Self-closing handshower                      |
| 10  | S600207     | 8236647 | Shower hose, L=1,5 m, chrome                 |
| 11  | 129296.AE   | 8295327 | Filter kit Soft PEX 3/8 (2 pcs)              |
| 12  | 132205.AE   | 8281441 | Aerator insert, 5 l/min at 200–600 kPa       |
| 12  | S600072     | 8281671 | Aerator insert, 3 l/min at 200–600 kPa       |
| 12  | S600181     | 8280020 | Aerator insert, 1,4 l/min at 200–600 kPa     |