




#### Unique characteristics



Backflow protection unit type **AA**



## MMIX II kitchen mixer

MMIX II with a low spout combines a harmonious, ergonomically designed exterior with an energy-efficient interior for low energy consumption and long-term environmental care.

**Article number:** 332201 **Flow 3 bar:** 6.0 l/m

**Description:** Chrome


- ESS (energy saving system)
- Ceramic cartridge with soft closing function
- Adjustable flow control and temperature limiter
- Swivel spout 110°
- Soft PEX® hoses with 3/8" connecting nut (stainless steel braided)
- Lead Free material
- Hole diameter Ø34-37 mm

## PRODUCT DESCRIPTION

# MMIX II kitchen mixer

MMIX II with a low spout combines a harmonious, ergonomically designed exterior with an energy-efficient interior for low energy consumption and long-term environmental care.

**Article number:** 332201



## Sparepartlist

NO.	ART NO.	RSK	DESCRIPTION
1	409389.AE	8344867	Lever, complete
2	409392.AE	8344866	Colour marking and mounting screw for lever
3	409391.AE	8344865	Cover nut
4	409393.AE	8345179	Lock nut for cartridge, incl service tool
5	439060.AE	8295361	Lock nut
6	S600273	8387230	Ceramic cartridge with service tool, cold start (green ring)
7	409611.AE	8241744	Stop screw
8	409685	8242427	Swivel spout, complete with jet concentrator
9	S600298	3870203	Service tool
10	S600301	8387255	Sealing rings, 2 pcs
11	209558.AE	8346933	Limitation clasp for fixed spout and swivel 30-90°
12	409458.AE		Fastening details for mixers with on/off valve

NO.	ART NO.	RSK	DESCRIPTION
13	S600279	8280066	
14	131398.AE	8281493	Aerator insert, 9–11 l/min at 300 kPa
15	409390.AE	8344874	Care lever, complete, chrome