




## Uniqe characteristics





Backflow protection unit type



## MORA MMIX K2 kitchen mixer

Mora MMIX combines elegance and ergonomic design with energy-efficiency. Soft geometric curves and a timeless style characterise the entire Mora MMIX range. The mixers were developed according to our unique EcoSafe™ concept focusing on low energy consumption and long-term environmental care.

Article number: 732200.TT Flow 3 bar: 9.7 l/m

Description: Chrome, with Turbo-Jet function, connection flat end

Ø10 mm

- · ESS (energy saving system)
- · Ceramic cartridge with soft closing function
- · Adjustable flow control and temperature limiter
- Eco (energy and water saving aerator)
- Soft PEX<sup>®</sup> hoses (stainless steel braided)
- Swivel spout 110°
- · Approved by the Rheumatism Association in Sweden
- Lead Free material
- Hole diameter Ø34-37 mm




## PRODUCT DESCRIPTION

## MORA MMIX K2 kitchen mixer

Mora MMIX combines elegance and ergonomic design with energy-efficiency. Soft geometric curves and a timeless style characterise the entire Mora MMIX range. The mixers were developed according to our unique EcoSafe™ concept focusing on low energy consumption and long-term environmental care.

Article number: 732200.TT



Sparepartlist				
NO.	ART NO.	RSK	DESCRIPTION	
1	409389.AE	8344867	Lever, complete	
2	409392.AE	8344866	Colour marking and mounting screw for lever	
3	409391.AE	8344865	Cover nut	
5	409610.AE	8241743	Lock nut for cartridge	
6	S600273	8387230	Ceramic cartridge with service tool, cold start (green ring)	
6	409405.AE	8345205	Ceramic cartridge, Turbo, incl service tool	
7	409611.AE	8241744	Stop screw	
8	409685	8242427	Swivel spout, complete with jet concentrator	
9	131417.AE	8281513	Housing M24 ext., 17 mm	
10	S600301	8387255	Sealing rings, 2 pcs	
11	409457.AE		Fastening details for mixers without on/offf valve	
12	S600298	3870203	Service tool	



NO.	ART NO.	RSK	DESCRIPTION
13	209558.AE	8346933	Limitation clapm for fixed spout and swivel 30-90°
14	131398.AE	8281493	Aerator insert, 9–11 I/min at 300 kPa
15	409393.AE	8345179	Lock nut for cartridge, incl service tool
16	439060.AE	8295361	Lock nut