





#### Unique characteristics



Backflow protection unit type



## MMIX II soft kitchen mixer

MMIX II soft has a gently curved geometric design that exudes a classic, easy-to-work-with style.

**Article number:** 332101.LD4 **RSK:** 8312161 **Flow 3 bar:** 4.8 l/m

**Description:** Chrome, LEED/BREEAM compliant


- ESS (energy saving system)
- Ceramic cartridge with soft closing function
- Adjustable flow control and temperature limiter
- Swivel spout 60°, 85°, 110° or 360° (limitation part for 60° or 110° included)
- Soft PEX® hoses with 3/8" connecting nut (stainless steel braided)
- Lead Free material
- Hole diameter Ø34-37 mm

## PRODUCT DESCRIPTION

## MMIX II soft kitchen mixer

MMIX II soft has a gently curved geometric design that exudes a classic, easy-to-work-with style.

Article number: 332101.LD4 RSK: 8312161



|              | STD     | LD3*    | LD4*      | Energy class A |
|--------------|---------|---------|-----------|----------------|
| 6. Cartridge | S600253 | S600232 | S600253   | S600253        |
| 23. Insert   | S600319 | S600072 | 132205.AE | S600294        |

\* LEED mixers with low flow

## Sparepartlist

| NO. | ART NO.   | RSK     | DESCRIPTION                                 |
|-----|-----------|---------|---------------------------------------------|
| 1   | 409389.AE | 8344867 | Lever, complete                             |
| 2   | 409392.AE | 8344866 | Colour marking and mounting screw for lever |
| 3   | 409391.AE | 8344865 | Cover nut                                   |
| 4   | 409393.AE | 8345179 | Lock nut for cartridge, incl service tool   |
| 5   | 439060.AE | 8295361 | Lock nut                                    |
| 6   | S600253   | 8387149 | Ceramic cartridge with service tool         |
| 6   | S600232   |         | Cartridge, Low flow, for LEED mixers        |
| 7   | S600298   | 3870203 | Service tool                                |
| 8   | S600159   | 8387097 | Fastening kit, for kitchen mixer            |
| 9   | S600018   | 8394128 | Spout nipple, complete                      |
| 10  | S600299   | 8387254 | Limitation segment                          |
| 11  | 209543.AE | 8346916 | Limitation segment 40°                      |
| 12  | 309519.AE | 8295318 | Fixed plug, 2 pcs (black/grey)              |
| 13  | 708843.AE | 8295357 | O-ring (15,54 x 2,62), 2 pcs                |

| NO. | ART NO.   | RSK     | DESCRIPTION                                        |
|-----|-----------|---------|----------------------------------------------------|
| 14  | 109016.AE | 8295331 | Spout nipple, complete, for fixed spout            |
| 15  | 139595.AE | 8295313 | Stop screw with limitation segment                 |
| 16  | S600308   | 8387263 | Stabilizer kit                                     |
| 17  | 409395.AE | 8326732 | Spout K5, complete                                 |
| 18  | 409396.AE | 8326733 | Spout K7, complete                                 |
| 19  | 409397.AE | 8326734 | Spout K6, complete                                 |
| 20  | 131410.AE | 8281509 | Housing M22 int.                                   |
| 21  | 131415.AE | 8281512 | Housing M24 utv., 15 mm, chrome                    |
| 22  | 409343.AE | 8281537 | Aerator M22 int., ball joint, 7–9 l/min at 300 kPa |
| 23  | S600319   | 8280069 | Aerator insert, 7–9 l/min at 300 kPa               |
| 23  | S600072   | 8281671 | Aerator insert, 3 l/min at 200–600 kPa             |
| 23  | 132205.AE | 8281441 | Aerator insert, 5 l/min at 200–600 kPa             |
| 23  | S600294   |         | Aerator insert, 5 l/min at 200–600 kPa             |
| 24  | 409390.AE | 8344874 | Care lever, complete, chrome                       |
| 25  | S600206   | 8233049 | Self-closing hand shower, chrome                   |
| 26  | 130670.AE | 8223275 | Leading sleeve                                     |
| 27  | S600152   | 8236561 | High-pressure shower hose, L=1,5 m, chrome         |