




Uniqe characteristics





Backflow protection unit type <





MORA MMIX tronic basin mixer, battery operation

MORA MMIX tronic is a new sensor controlled basin mixer. Sensor controlled mixers started out in public facilities, but are increasingly finding their way into modern homes. A sensor detects when you put your hands underneath the mixer and automatically activates the water flow until you remove your hands. Hygienic, energy-efficient and childishly simple.

Article number: 720080.14 **Flow 3 bar:** 5.0 l/m **Description:** Polished copper PVD, battery operation (included battery)

- · With temperature knob, battery operation (included battery)
- · Soft closing solenoid valve
- · Safe against vandalism, complete in metal
- · Eco (energy and water saving constant flow aerator)
- Flush Timeout safety shut-off to prevent flooding
- 30 sec. rinse time via sensor
- · Can be turned off for 60 sec. (eg for cleaning)
- · Low power consumption Long life
- · Equipped with system for thermal disinfection against legionella
- IP class sensor, IP67
- Approved non-return valves, EN-Standard EN1717
- · Environmental friendly material, Lead free, Nickel Free

Installation:

- · Automatic sensor calibration
- After adjusting to the desired temperature, knob can be replaced with a lid
- All models can be adapted for either battery 6V or mains operation 12V AC/DC
- For mains operation requires installation of the adapter kit art.no. \$600147
- Soft Pex[®] hoses with non return valves and filters (stainless steel braided)
- Hole diameter Ø33,5-37 mm

Settings:



- Adjustable max temperature
- Programmable function for hygiene flushing
- Adjustable flush time




PRODUCT DESCRIPTION

MORA MMIX tronic basin mixer, battery operation

MORA MMIX tronic is a new sensor controlled basin mixer. Sensor controlled mixers started out in public facilities, but are increasingly finding their way into modern homes. A sensor detects when you put your hands underneath the mixer and automatically activates the water flow until you remove your hands. Hygienic, energy-efficient and childishly simple.

Article number: 720080.14



Sparepartlist				
NO.	ART NO.	RSK	DESCRIPTION	
1	S600278	8398041	Electronic unit, Stand.	
1	S600329	8398042	Electronic unit, centrally controlled	
2	S600131	8483190	AC adapter	
3	S600135	8483191	Battery	
4	S600277	8398040	Solenoid valve	
5	729457.AE	8553563	Cover plug	
6	729456.AE	8553562	Lever, chrome	
6	729456.11AE	8483168	Lever, black PVD	
6	729456.14AE	8483180	Lever, polished copper PVD	
6	729456.16AE	8483181	Lever, champagne PVD	



NO.	ART NO.	RSK	DESCRIPTION
6	729456.60AE	8483182	Lever, polished brass PVD
7	729458.AE	8553564	Fastening
8	131415.AE	8281512	Housing M24 utv., 15 mm, chrome
8	131415.11AE	8281550	Housing M24 utv., 15 mm, black PVD
8	131415.14AE	8281662	Housing M24 ext., 15 mm, polished copper PVD
8	131415.16AE	8281663	Housing M24 ext., 15 mm, champagne PVD
8	131415.60AE	8281664	Housing M24 ext., 15 mm, polished brass PVD
9	729485.AE	8184336	Self-closing handshower
10	S600207	8236647	Shower hose, L=1,5 m, chrome
11	129296.AE	8295327	Filter kit Soft PEX 3/8 (2 pcs)
12	132205.AE	8281441	Aerator insert, 5 l/min at 200–600 kPa
12	S600072	8281671	Aerator insert, 3 l/min at 200–600 kPa
12	S600181	8280020	Aerator insert, 1,4 l/min at 200–600 kPa